



# Government College of Engineering

Station Road, Osmanpura, Aurangabad – 431 005

Phone : (0240) 2366101, 2366110, 111  
E-Mail – principalgeca@yahoo.com

Fax : (0240) 2332835  
Web – <http://www.geca.ac.in>

No. GECA/EED /2019-20/ 461  
To,

Date 28 JAN 2020

GECA Notice Board/ GECA Website

## Subject :- Quotation for Equipment of Electrical Department.

Dear Sir, You are requested to send your competitive quotations for the supply of the following items subject to the following conditions.

### Terms & Conditions -

- 1 Rates quoted should be FOR AURANGABAD or free delivery at the Institute inclusive of all lead and Lift.
- 2 Detailed specifications of the articles you intend to supply should be given. If not according to the specification, laid down here under.
3. The material should be supplied within (07) days from the date of order. List of material is given below.
4. The earliest delivery period should be quoted if you cannot supply within the period mentioned above.
5. Quotation should be in sealed cover and superscripted as **“Quotations” for Equipment of Electrical Department.** Due on :05-02-2020 , at 5.00 P.M.
6. Quotation should be valid for 31.03.2020
7. Right to reject any or all quotations are reserved with the under signed.
8. Rates quoted must be inclusive of All applicable Taxes.
9. Delivery of the material will be carried out free of cost at our institute in EED Dep.
- 10 **Installation of the material will be carried out free of cost at our institute by the supplier.**
11. No advance shall be paid and No part payment shall be made.
12. Demonstration & Training Must be given to Staff.
13. Detail Specification including make of material should be mentioned in Quotation. If the quoted Item/Peripheral is available with you in different brands/makes, the taxes should be mentioned separately brand wise/specification wise. If the Make/Brand/Manufacturer name is not mentioned in the quotation will be rejected without giving any information to the supplier.
14. **Authorization/Distributorship Certificate from manufacturer is compulsory.**
15. Quotation not complying with the above conditions and incomplete once will not be considered.

Instruments	Specification	Qty
<b>LUX meter</b> <b>Make :</b> <b>HIOKI,</b> <b>Extech, Flir,</b> <b>Keykard</b> <b>only</b>	Range - up to 200000 lux Resolution – 0.01 lux Auto & Manual Mode Linearity - +/- 2 % rdg Response Time - Within 2 Seconds Classification - DIN CLASS B AND JIS CLASS AA compliant Memory Function PC interface for Data logging Dust Proof & Water proof - IP 40 Class D to A Output for Recorder . Included ACC:- Manual , Battery , USB Cable , PC application Software , Carrying Case & Output Cord .	01 No.
<b>Laser</b> <b>Distance</b> <b>Meter</b> <b>Make :</b> <b>HIOKI,</b>	Range - 2 “ to 115”( 0.05 m to 35 m) Accuracy - +/- 2 mm Resolution - 0.001 m Automatically Calculate Area & Volume Front & Rear edge reference	01 No.

<b>Extech, Flir, Keykard only</b>	Low Battery Indicator Auto Power off Included ACC:- Carrying case & AAA batteries	
<b>Flexible Clamp Meter Make : HIOKI, Extech, Flir, Keykard only</b>	Maximum Current – 3000 Amp AC True RMS Accuracy +/- 3 % Maximum Resolution – 0.01 Amp AC Current Bandwidth – 45 to 500 Hz Inrush Current - 100 mS Flexi Coil Length 10 inch . Facility for White LED & Bluetooth Safety Rating - CAT IV 600 V , CAT III 1000V Data Recording for Trend analysis Transferable VIA Bluetooth .	01 No.
<b>Earth Tester Make : HIOKI, Extech, Flir, Keykard only</b>	2 & 3 Electrode Method Earth Tester Range –up to 2000 Ohm Resolution – 0.1 ohm Accuracy - +/- 1.5 % rdg Measurement frequency - 128 Hz IP 67 – water Proof One meter Drop Proof Automatic Pre Check for Line Break & ground Potential Noise Zero Adjustment for High Precision. Included ACC:- Earth rod 2 piece , Yellow 10 Meter cable , RED 20 meter Cable & Black Cable 4 meter cable & Carrying case.	01 No.
<b>1 KV Insulation Tester Make : HIOKI, Extech, Flir, Keykard only</b>	5 Range - 50 / 125 / 250 / 500 / 1000 V Insulation Resistance – Max 4000 Mega OHM AC / DC Voltage Measurement Automatic electric Discharge & Comparator Function . IP 40 Safety Oriented Double Check Action for High Voltage range 200 mA Continuity Testing Included ACC:- test Lead set , AA battery & Manual .	01 No.

Yours faithfully

*VSR*

Head of Electrical Engineering  
Govt. College of Engineering  
Aurangabad