



## शासकीय अभियांत्रिकी महाविद्यालय, औरंगाबाद छत्रपती संभाजीनगर

(पहाराष्ट्र शारानावी खायत प्रांथा) स्टेशन रोड, उरमानपुरा, छत्रपती संभाजीनगर (महाराष्ट्र)

"In Pursuit of Technical Excellence"

a - office: (0240) 2366101, 2366102, 2366111

e-mail – office.geoeaurangabad@dtemaharashtra.gov.in wo

web: www.gcca.ac.in



GECACS/Store/2025/1688

To,

QUOTATION Inquiry

Date: .05.2025

- 1. Institute Website
- 2. Notice Board
- 3. Institute copy

Sub:- Quotation for Various items for Robocon

Sir, You are requested to send your quotations on following conditions. in sealed envelope for the supply of the item listed herewith .Mention letter no & date of opening on the quotations on the envelope. Submit the same on or before Date: **30**/ 05/2025 up to office time

Sr	Name of items with specification	Quantity required *
	Square Gearbox motor=24v	
	Operating Voltage: 24V DC	
	No Load Current: 318 mA	
	No load Speed: 300 RPM (at 24V)	
	Full Load Current (A): 1.3	All the second
	Rated Current (A): 1.3A	
	Rated Torque (Kg-cm): 5.5	2
1	Shaft Length (mm): 24.5	
	Shaft Diameter (mm): 8	
	Langth (mm): 91	
	Dimension Overall: 95.75 X 60.5 X 91 (Length)	
	Mounting Holes: M4 threading	36
	Weight (gm): 490	
	Weight (girl). 430	4
2	RS-795 motor.	

4		
	Voltage: 12V DC. Speed: 6000 RPM. Torque: 3.36 N-cm. Output Power: 19.7W. Rated current (mA): 3000 Shaft diameter: 5 mm.	
	Shaft length: 10 mm.	2
	Flipsky 5065 200kv Speed-1800 Voltage- 200 Kilovolts Horsepower- 200 Watts Material- Alloy Steel Weight-500gm	11
4	Pro-Range Planetary Gear DC Motor Operating Voltage: 12V DC Rated Torque: 20 N-cm	2
5	Pro-Range OG555 High Torque DC Motor Voltage (DC):12V Rated RPM (at 12V):1000 Gear Reduction: 10K Rated Torque (N-cm): 34.3 Full Load Current (A):6.836	2
	The Shaft is D type	
6	200MM Linear Actuator Stroke Length Linear Actuator 50mm/S 180N	1
7	85 Kgcm of Output torque 800kv Outrunner base motor Gearbox ratio- 19.1:1 1000 RPM speed	2
8	PB-BLDC-5840-3650 24V 160 RPM Brushless DC Worm Gear Motor with Encoder RPM- 160 Rated Voltage (VDC)- 24	1

	Rated Torque: 15 kg. cm	
	Stall Torque: 25 kg cm	also de la propositio prime printe essessivativo destribute para partitim encomente en consede discreta de disente requisa any tres-
	rated Current: 1.6 A	
	Stall Current: 3.5 A	
	Total Length(LxWxH) · 115v40vFF	
	Car Material; Full Metal	
	Shaft Size: 8 x 15mm(D*L)	
9	USB coral Accelerator	1
	Rasberry Pi 5 (8gb ram ).	-
	64-bit quad-core ARM Cortex-A76 processor (2.4 GHz)	
1.5	1,46,000 All Gb0 (800 WH <sup>2</sup> )	
	8 GB of LPDDR4X RAM (4267 MHz)	
10	Raspberry Pi silicon RP1 I/O controller chip.	1
	Real-time clock.	
	On/off button.	
	PCle 2.0.	
44	UART connector.	
11	PS-5 controller (white and black)	2
12	ESP-32	15
	Orange Lipo Battery	
	Voltage: 11.1V	
13	Capacity- 10000mah	2
-	Max Continuous Discharge: 35C	
	Balance Plug: JST-XH	
	Discharge Plug: XT-60	
	Single side PCB.	
	Reinforced with glass fiber laminate on the core.	5
14	20 X 30cm	
	Thickness: 1.5 mm	5
15	MT30 3 Pole Motor/ESC Connector Set	20
16	XT60 Connector Pair	10
17		10
18	Maini MP1584 DC-DC 3A Adjustable back Would	10
19	Miniature Toggle Switch-6 Pin	10
20	Slide Switch	10
21	Slide Switch 7x7mm 6 Pin DPDT Self-Lock lock Push Switch	10
22	7x7mm 6 Pin DPDT Self-Lock lock 1 ds. 1 LD1117V-3.3 TO-220 ST LD33V 3.3V REGULATOR	The second secon

23	4 Channel Isolated 5V 10A Relay Module	and the second contract of the second contrac
24	Single-channel SV 30A Relay Module	2
25	DC Buck Converter 5A DC-DC Step Down adjustable Power Supply module10	3 
26	Logic Level Converter – Bi-Direction Bi-Directional Conversion: 5V to 3.3V and 3.3V to 5V. Wide Voltage Range: Supports 1.8V, 2.8V, 3.3V, and 5V devices.	5
27	Rainbow Cables	1 box
28	300W DC-DC Buck Convertor, 5~40V to 1.2~35V Adjustable Voltage Step Down Power Supply Module	active above contract and extractive and active active active and active
29	Hypersen ToF Ranging Sensor HPS-166 Range 10M Frequency 54HZ UART Interface	1
30	Fork Insulated Terminal for wire size 2.5 sq.mm	20
31	Red and black 2.5 mm wire	1 box
32	XH-A-2.5mm-5 pin Wafer Male Connector	10
33	XH-A/AW-2.5mm-5 pin Female Housing Connector	10
34	XH-A-2.5mm-2 pin Wafer Male Connector and socket	10
	XH-A-2.5IIIII-2 piii Water Water Socket	10
35	3 Pin JST XH 2.54mm Pitch Plug and Socket	10
36	4 Pin JST XH 2.54mm Pitch Plug and Socket	

(\* Quantity may be increased or decreased)

(Dr.S.S.Dambhare) PRINCIPAL

GOVERNMENT COLLEGE OF ENGINEERING, Aurangabad, Chatrapati Sambhajinagar

conditions of the quotations:-The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with the conditions of the quotations:-The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with the conditions of the quotations:-The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with the conditions of the quotations:-The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with the conditions of the quotations:-The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with the conditions of the quotations of the quotation of t forwarding freight etc. Charges (A) The firm should registered as per BST/CST/GST Act. (A) The firm should be valid for minimum to the quotes from the quotes from the rate quoted should be valid for minimum to weeks from Name and the placed with you, The goods Delivery period should be maximum two weeks from Name and the supply order placed with you, The goods Delivery period should be very clearly mentioned the delivery Period in your quotes and the placed with your quotes and yo the rate query placed with you, the good with you, the good with your quotage of supply order, otherwise you should be very clearly mentioned the delivery Period in your quotage supply order, otherwise you should be quoted to our serial number only. Your items should be quoted to our serial number only. Your items should be quoted as per our specification otherwise your items having specific ill:

The rate should be quoted as per our specification otherwise your items having specific ill: The rate should be quoted as periodic the rate should be quoted. But the rates of your items having different from those of ours should not be quoted. But the rates of your items having different from those of ours should not be quoted. Minimum packing size may be mentioned if required. different from should be quoted. Minimum packing size may be mentioned if required. specification should be quote specification should be quote the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated, descriptive technical literature which will give the information about 18 the leaflets like illustrated and the leaflets like illustrated and literature which will give the information about 18 the leaflets like illustrated and literature which will give the information about 18 the leaflets like illustrated and literature which will give the information about 18 the leaflets like illustrated and literature which will give the information about 18 the leaflets like illustrated and literature which is a second li The leaflets like illustrated, make, type, pictorial view, name of manufacturer, origin of the con. The such as more specifications, make, type, pictorial view, name of manufacturer, origin of the con. The such as more specified with the quotation of the relevant full information should be mentioned clear stee 6. The samples should be supplied if required. 6. The undersigned Reserve the right not to consider or the quotation in absence of the Consider or the quotation in the consideration in the consider satisfactory information about the item. 8. In case of machinery, equipment, Apparatus instrument etc. the operating instructions and machinery manual, demonstration etc. may be required before finalizing the order for supply of the items 9. The undersigned Reserve the right without giving any reason (a) to reject the quotation in part to extend the date of opening the quotation and (c) to cancel the quotation in part or in full 10. If the quotation is accepted the items should be supplied to the institute on or before the same period or within the period decided by mutual consultation otherwise the order for supply of the hr the store shall be treated as cancel unless the extension for delivery period is agreed to undersigned 11. If the items Delivered late without prior approval from the undersigned a sum equivalent to? F percent per week or part thereof of the net cost of the late delivered item beyond the stipulate. will be deducted from the bill 351 12. The bill in the triplicate of the items supplied should be sent directly to the undersigned by handles or by registered post account due. 13. Damaged, deficient, not in accordance with the accepted specifications and unsatisfactory items at to be collected by the supplier at the cost and risk or the appropriate cost for such shortcoming deducted from the bill by mutual Consultation. 14. The stores should be insured with the government insurance fund, Mantralaya Mumbai for to The premium theory of may be paid by the supplier and the same may be charged in the bill sepal // 15. The payment of the bill will be released only after the delivery of the stores at the office in good of the stores at the stores at the office in good of the stores at th and subject to inspection, testing and satisfactory compliance in accordance to the specifical and satisfactory compliance in

16. You should be able to furnish the necessary Income Tax certificates as and when request by US

a

21 C t

decided i.e. only after final acceptance of the goods.