



## शासकीय अभियांत्रिकी महाविद्यालय, औरंगाबाद छत्रपती संभाजीनगर

(महाराष्ट्र शासनाची खायत्त संस्था)

स्टेशन रोड, उरमानपुरा, छत्रपती संभाजीनगर (महाराष्ट्र)

"In Pursuit of Technical Excellence" **a**-office: (0240) 2366101, 2366102, 2366111

e-mail - office.gcoeaurangabad@dtemaharashtra.gov.in web: www.geca.ac.in



GECACS/Store-Drone Club/2025/ 2653

QUOTATION Inquiry (Extension for Submission)

Date: 22035 L 2025

To,

- 1. Institute Website
- 2. Notice Board
- 3. Institute copy

Sub:- Quotation for Various items for Drone Components for NIDAR drone competitions

Sir, You are requested to send your quotations on following conditions. in sealed envelope for the supply of the item listed herewith .Mention letter no & date of opening on the quotations on the envelope. Submit the same on or before Date:  $^{28}/^{07/2025}$  up to office time  $^{28}/^{07/2025}$ 

Sr. No.	Name of items with specification	Quantity Required
1	Holybro Pixhawk 6C Flight Controller + PM02 Power Module Model: 6C + PM02 Clock speed: 480 MHz Processor: H7 micro-controller contain the Arm Cortex-M7 RAM: 1MB Flash Memory: 2mb	1
2	Pixhawk 2.4.8 Drone Flight Controller PX4 32 Bit Autopilot Supply Voltage: 7V. Processor: 32 Bit Cortex M4 Core Bus interface (UART, I2C, SPI, CAN). Firmware: Mission planner. Sensors: Gyrometer, Accelerometer, Barometer & Magnetometer Micro SD card to record flight data.	1

NVIDIA Jetson Orin™ Nano Super Deployment Kit  GPU: 1024-core N-VIDIA Ampere architecture GPU with 32 Tensor Cores 10  Memory: 8GB 128-bit LPDDR5, 102GB/s  CPU: 6-core Arm® Cortex®-A78AE v8.2 64-bit CPU, 1.7GHz  Model power: 7-25W  Jetson Orin Nano development kit include:  Jetson Orin Nano Module x1  JETSON-ORIN-IO-BASE x1	
CPU: 6-core Arm® Cortex®-A78AE v8.2 64-bit CPU, 1.7GHz Model power: 7-25W  Jetson Orin Nano development kit include:  Jetson Orin Nano Module x1	
Jetson Orin Nano development kit include :  Jetson Orin Nano Module x1	
Jetson Orin Nano Module x1	
3	
JETSON-ORIN-IO-BASE x1	1
Cooling Fan x1	
256GB NVMe Solid State Drive x1	
Wireless network card x1	
Power adapter x1	
OAK-D-Lite HD Camera Development Kit OpenCV Al Machine Vision	
DEPTH MEASURING RANGE :- 0.2 ~ 9 m	
DEPTH CAMERA :- global shutter	
RGB CAMERA :- 13MP	1
MAX FRAMERATE:- 60fps (RGB), 200fps (Depth)	
AI CHIP :- Intel Myriad X 4TOPS computing performance	
VIDEO PLUG FLOW :- 4K 30 fps H.265 plug flow	
CONNECTOR :- USB3.0 Type-C	
CUAV NEO 3 GPS Module GNSS U-blox	
RTK Receiver: Ublox M9N	
GNSS Bands: GPS/QZSS L1 C/A,GLONASS L10F ,BeiDou B11,Galileo E1B/C,SB	BAS L1 2
C/A: WAAS, EGNOS, MSAS, GAGAN	
Compass:IST8310	
Barometer:MS5611	
5010 750KV High Torque Brushless Motor	
KV(rpm/v): 750KV	
6 Compatible LiPO Batteries : 2-6s Li-Po	4
Required ESC : 20-40A	
Shaft size : 4mm	
Maximum Thrust (gm): 1500@4S	
Readytosky 80A ESC 2-6S	
Continuous Current: 80A	
7 Burst Current: 100A	4
BEC Mode: Linear Mode, 5V@3A	
Battery cell: 2S-6S	

	Pro-Range Propellers1447(14X4.7) Glass Fiber Nylon Gray 1CW+1CCW-1pair	
	Length: 14" Pitch: 4.7"	
8	Shaft Diameter: 7.86mm	6
	Total Length: 35.5cm	7 7 1
	Includes a set of plastic reducers (3,4,5,6 mm)	
	micidues a set of plastic reducers (3,4,5,6 mm)	
	SKYDROID T12 2.4GHZ 12CH Remote Controller with R12 Receiver and 3IN1	
	Camera	
	Operating Voltage (V): 3.7	
	Working Current (mA): 130mA	
	Modulation Method: FHSS	
9	Frequency (GHz): 2.400-2.4833	
9	No. of Channels: 12	1
	Charging Port : MICRO-USB	
	Camera:	Marine Marine
	High-Resolution Video Transmission	
	Low Latency	
İ	Long-Range Transmission	
	Orange 22.2V 5200mAh 35C 6S Lithium Polymer Battery	
18	Model No: ORANGE 5200 6S	
	Capacity: 5200 mAh.	E-WETT
10	Voltage: 22.2V	1
	Max Continuous Discharge: 35C	
	Balance Plug: JST-XH	
	Discharge Plug: XT60	
	Orange 14.8V 6200mAh 35C 4S Lithium Polymer Battery	
1	Model No: ORANGE 6200/4S-35C	
	Capacity: 6200 mAh	
11	Constant Discharge: 35C.	
	Max discharge : 70C (10 sec).	1
	Balance Plug: JST-XH.	
	Discharge Plug: XT-60 Female.	

12	SpeedyBee 2006-1950KV Motor Bee35 3.5 inch FPV KV Value: 1950 Stator Poles: 12N14P Shaft Diameter: 1.5mm Operating Voltage: 6S Maximum Power: 514.54 W Maximum Current: 21.63 A  FLY SKY FS IA6B RF 2.4GHz 6CH PPM output with iBus port receiver	. 2
13	Model:FS-iA6B RF 2.4GHz 6CH PPM output with iBus port receiver Model:FS-iA6B  Operating Voltage (VDC):4.0 ~ 8.4V  No. of Channels:6  No. of Band:140  Encoding: GFSK.  RF Range:2.4055-2.475 GHz.  Rx Sensitivity (dBm):-105	1
14	FlySky FS-IA10B Radio Receiver No. of Channels: 10 RF Range: 2.4055-2.475GHz RF Channel: 140 RF Receiver Sensitivity: -105dBm Bandwidth: 500KHz 2.4GHz System: AFHDS 2A Modulation Type: GFSK Oprating Voltage: 4.0-6.5V DC	1
15	eSUN ABS+ 1.75mm 3D Printing Filament	Red 1 kg Black 2 kg
16	Arduino Uno R3 ATmega328P Microcontroller Operating Voltage: 5v	4
17	Arduino Nano CH340 Chip Operating Voltage (logic level): 5V Atmel Atmega328P-AU MCU	. 4
18	ESP32 Wroom 32  Model: ESP32-WROOM-32D  CPU: Xtensa dual-core 32-bit LX6 microprocessor  Voltage: 3.6V	4
19	ESP32 Cam module	2
20	XT60 connector pairs	20

21	Breadboard (Large size)	4
22	Jumper Wires (Male-Male, Male-Female, Female-Female)	120 Each
	Single side PCB	
	Reinforced with glass fiber laminate on the core	- V-
23	20 x 30cm	5
	Thickness: 1.5mm	
24	MT30 3 Pole motor/ ESC Connetor Set	10
25	Rainbow Cable	1 Box
26	Red and Black wire 2.0mm wire	1 Box
27	Haoyue MAS830L Digital Handheld Multimeter, 600 VAC/DC	1
20	Soldering Wire	
28	1 mm 50 gm	5
	Soldering Station	
29	Model no. 926 upgraded version	1
	Power: 60W	
30	Allen Key Set	1
31	Lipo battery Voltage checker	2
32	A2212 1000 KV BLDC Brushless DC Motor for Drone	4
33	X6B 2.4G 6CH i-BUS PPM PWM Receiver for AFHDS	
	Channels: 6(PWM), 8(PPM), 18(i-BUS)Model	
	DSC port: PPM/PWM/i-BUS	2
JJ	Compatible Transmitters All AEUDS 24 Transmitters for example FS 140 FS 15 FS	_
	Compatible Transmitter: All AFHDS 2A Transmitter, for example, FS-i10 FS-i6, FS-i6S, FS-i6X, FS-i4, FS-i4X.	

(\* Quantity may be increased or decreased)

(Dr.S.S.Dambhare) PRINCIPAL

GOVERNMENT COLLEGE OF ENGINEERING, Aurangabad,Chatrapati Sambhajinagar **Conditions of the quotations:-**The rate should be quoted F.O.R. Chatrapati Sambhajinagar & along with packing forwarding freight etc. Charges

- (B) The firm should registered as per BST/CST/GST Act.
- 1. The rate quoted should be valid for minimum Six Month from the date of opening of the quotation.
- 2. If supply order placed with you, The goods Delivery period should be maximum two weeks from receipt of supply order, otherwise you should be very clearly mentioned the delivery Period in your quotation.
- 3. Your items should be quoted to our serial number only.
- 4. The rate should be quoted as per our specification otherwise your items having specifications are different from those of ours should not be quoted. But the rates of your items having nearest specification should be quoted. Minimum packing size may be mentioned if required.
- 5. The leaflets like illustrated, descriptive technical literature which will give the information about the item such as more specifications, make, type, pictorial view, name of manufacturer, origin of the company etc. should be specified with the quotation of the relevant full information should be mentioned clearly.
- 6. The samples should be supplied if required.
- The undersigned Reserve the right not to consider or the quotation in absence of the convincing, satisfactory information about the item.
- 8. In case of machinery, equipment, Apparatus instrument etc. the operating instructions and maintenance manual, demonstration etc. may be required before finalizing the order for supply of the items
- 9. The undersigned Reserve the right without giving any reason (a) to reject the quotation in part of full (b) to extend the date of opening the quotation and (c) to cancel the quotation in part or in full
- 10. If the quotation is accepted the items should be supplied to the institute on or before the stipulated period or within the period decided by mutual consultation otherwise the order for supply of the items to the store shall be treated as cancel unless the extension for delivery period is agreed to by the undersigned
- 11. If the items Delivered late without prior approval from the undersigned a sum equivalent to the half percent per week or part thereof of the net cost of the late delivered item beyond the stipulated period will be deducted from the bill
- 12. The bill in the triplicate of the items supplied should be sent directly to the undersigned by hand delivery or by registered post account due.
- 13. Damaged, deficient, not in accordance with the accepted specifications and unsatisfactory items will have to be collected by the supplier at the cost and risk or the appropriate cost for such shortcomings may be deducted from the bill by mutual Consultation.
- 14. The stores should be insured with the government insurance fund, Mantralaya Mumbai for transit risk. The premium theory of may be paid by the supplier and the same may be charged in the bill separately.
- 15. The payment of the bill will be released only after the delivery of the stores at the office in good condition and subject to inspection, testing and satisfactory compliance in accordance to the specifications as decided i.e. only after final acceptance of the goods.
- 16. You should be able to furnish the necessary Income Tax certificates as and when request by us.